

SAFETY DATA SHEET (SDS)

| Product identification 14-Limonete Other means of identification 14-Limonete Recommended use and restrictions on use Oil for wood Initial supplier identification Huiles pour bois Prate-Verde Inc. / Prato-Verde Wood Finishing Oils Inc. Tritial supplier identification Huiles pour bois Prate-Verde Inc. / Prato-Verde Wood Finishing Oils Inc. Product (prate verde.com, & www.prato-verde.com Ended A. CANUTEC: 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Finamable liquid (Category 1) Statis irritation (category 2) Skin irritation (category 1) Huiles pour verde enters and precautionary statements of the category/subcategory) Incorrently of enters airways. H33 (Maye 56 hind if Swallowed and enters airways. H33 (Categor avail (fire with long lasting effects. H410 Very toxic to aquatic life H400 Very toxic to aquatic life H400 Very toxic to aquatic life H410 Very toxic to aquatic life Otor IDNT/Cec VolTIING. Pay 2+P32 IPO NSKIN: wash with plent of water all a doort. DO NOT INDUCE VOMITING. Pay 2+P32 IPO NSKIN: wash with plent of water P30 +P33 IPO NSKIN (wash with plent of water P30 +P33 IPO NSKIN: wash with plent of water P30 +P33 IPO NSKIN (wash with plent of water P30 +P33 IPO NSKIN: wash with plent of water P30 +P33 IPO NSKIN wash with plent of water P30 +P33 IPO NSKIN wash with plent of w | SAFETY DATA SHEET (SDS) | | | | | | | |
|--|---|---|-------------------------|--------------------------|---|-----------------------------------|--|--|
| Other means of identification 14-Linnome Recommended use and restrictions on use Oil for wood Initial supplier identifier Huites pour bois Prato-Verde Inc. / Prato-Verde Wood Finishing Oils Inc. 797 avenue Granuda, Roups-Noranda, QC, 19X 703 Telephone: 888 637-2483, Fax : 819 797-8823 Infogradu-cente.com & yaw prato-verde com Emergency telephone number/restriction on use Canada - CANUTEC 24 hour number 613-996-6666 Section 2. Litezard identification Section 2. Litezard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Finamable liquid (Category 3) Apiration hazard (Category 1) Kin irritation. (acegory 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Importantial of elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Importantial of elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Importantial if wailowed and enters airways. H315 Causes, Shi in irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquacic life with long lasting effects. H210 Keep away from heat, hot surfaces, parks, open fames and other ignition sources. No smoking. P261 Avoid breathing dust/duregas/misix/apours/spray. P264 Wash handsmais/face thoroughy after handling. P272 Contaminated work clothing should not be allowed dustodechenic | Section 1. Identification | | | | | | | |
| Recommended use and restrictions on use Oil for word Initial supplier identifier Huites pour bois Prato-Verde Inc. / Prato-Verde Word Finishing Oils Inc. 797 avenue Granada, Ronyn-Noranda, QC, 19X 7B3 Telephone : 888 637-2483, Fax : 819 797-8823 info@rendo-verde.com Emergency telephone number/restriction on use Canada - CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 3) Aspiration hazard (Category 2) Skin sensitization (category 1) Hazardous to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal vords, hazard statements and precautionary statements of the category/subcategory) Jouger Plaze Falammable liquid and vapor. H226 Flammable liquid and vapor. H210 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash handshald/state thoroughly after handling. P272 Contaminated clothing, RNIN (shink) fields fills willowed and enters airways. H310 Vay cuase an allergic skin reaction. H400 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P2 | Product identifi | er Solvan | t d'agrumes | | | | | |
| Initial supplier identifier Huiles your bols Prato-Verde Nord Finishing Olis Inc. 797 aremic Granuda, Ronyn-Noranda, QC, 19X 7B3 Telephone: 888 637-2483, Fax: 819 797-8823 info@mato-verde.com Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number of 13-966-666 Classification of hazardous product (name of the category or subcategory of the hazard class) Finamable liquid (Category 3) Appiration hazard (Category 1) Section 2. Litezard identification Information (Edgeory 2) Skin irritation (Category 2) Skin irritation (Category 2) Skin irritation (Category 2) Skin irritation (Category 2) Skin irritation (Category 2) Skin irritation (Category 2) Skin irritation. H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open fames and other ignition sources. No smoking. P261 Avoid breathing work in both shi? P304 Colling should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/sep protection. P301 + P310 H P311 FO statuse: P313 H S XLIN WEB: Thimmediately call contaminated clothing, Rame skin with water. P332 + P313 H SKIN irritation or ranks our output shi? P31 Collect spillage. P433 + P331 N SKIN work with plentry of water. P304 + P304 H + P301 D | Other means of identification d-Limonene | | | | | | | |
| 797 avenue Granada, Royun-Noranda, QC, 1987 TB3 Telephone: 888 637-2483, Fax: 819 797-8823 Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Station of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 3) Aspriation hazard (Category 1) Skin sensitization (Category 1) Skin sensitization (category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Importantian elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Information elements (symbols, signal words, hazard statements and other ignition sources. No smoking. P261 Avoid breating elements (symbols end and vapor. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life with long lasting effects. P210 Limediately call a doctor. DO NOT INDUCE VOMITING. P302 - P352 IP ON SKIN: wash with elemy of water. P334 + P314 FXN rest effect with length of water end appropriate for and early end itel and end or port if all end itel and element and appropriate for and early end itel as effect with long lasting effects. P316 Line SKIN for hain? Take of finmediately all contaminated clothing, makes skin with water. P334 + P314 FXN reffect + P304 F84 R | Recommended use and restrictions on use Oil for wood | | | | | | | |
| Info@prote-verde.com & verwe.prote-verde.com Emergency telephone number/restriction on use Canada - CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Finamuble liquid (Category 3) Aspiration huzard (Category 1) Kin irritation (Category 2) Skin irritation (Category 2) Skin irritation (Category 2) Darger Pi226 Flammable liquid and vapor. H304 May be fatal if svallowed and enters airways. H315 Gauses skin irritation. H315 Gauses skin irritation. H316 Very toxic to aquatic life with long lasting effects. P101 Very toxic to aquatic life with long lasting effects. P101 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing distrime/gay.mix/vapours/spruz.P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/prote-tries clothing/eep protecton/face protection/face protecti/face from face of fire indindet deloting m | Initial supplier i | identifier | Huiles pour bois Prat | o-Verde Inc. / Prato-Ver | de Wood Finishing Oils Inc. | | | |
| Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666 Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 3) Aspiration hazard (Category 1) Skin isonizitation (category 1) Hazardous to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Image: Page: P1226 Flammable liquid and vapor. H315 Causes skin irritation. H315 Causes skin irritation. H317 May cause an allergie skin reaction. H400 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H510 IIIN SUCE VOMTING. P302 + P332 IF ON SKIN: wash with | | | 797 avenue Granada, | Rouyn-Noranda, QC, J9 | X 7B3 Telephone : 888 637-2483, F | ax : 819 797-8823 | | |
| Section 2. Hazard identification Classification of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 3) Aspiration hazard (Category 1) Skin irritiation (Category 2) Skin irritiation classification (category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Impact and the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Impact and the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Impact and the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Impact and the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Impact and the state and statements and precautionary statements of the category/subcategory) Impact and the state and statements and precautionary statements of the category 10 (Categor) Informatic (sth) State (Stategor) | | | info@prato-verde.com | m & www.prato-verde.co | <u>om</u> | | | |
| Classification of hazardous product (name of the category or subcategory of the hazard class) Flammable liquid (Category 1) Skin irritation (Category 2) Skin sensitization (category 1) Information classification (category 1) Information classification (category 1) Information cleanents (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Import in the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Import in the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Import in the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Import in the aquatic environment – P200 Wear glowers (procession coloring/cyc protector) H210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dus/fume/garinis/vapour/spray. P264 Wash hand/mails/face thoroughy after handling. P272 Contaminated work lobing/cyc protector. P301 + P301 F301 F501 F51 SWALLOWED: Immediately all contaminated clothing. Rines skin with water, P32 + P313 F5 KNi ritration or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing. Rines skin | Emergency tele | phone numb | er/restriction on use | Canada – CANUTEC 2 | 24 hour number 613-996-6666 | | | |
| Fammable liquid (Category 3) Aspiration hazard (Category 2) Skin sensitization (Category 2) Skin sensitization (Category 2) Information clements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Mazardous to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Magardus to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Magard (Symbols, Symbols, Signal words, hazard statements and precautionary statements of the category/subcategory) May be fatal if swallowed and enters airways. H315 May cause an allergic skin reaction. H400 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P315 IF ON SKIN (or hair). Take of firmediately all contaminated clothing. Rinse skin with water. P332 + P311 F SKIN irritation or rabi section 3. Composition/information on ingredients Chemical neuton. P362 + P364 Take off contaminated clothing. Rinse skin with water. P313 IF SKIN irritation or rabi considered rabe secret(). Chemical name (common name/synonyms) CAS number or other Stetion 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Stetion 4. First-stid measures Inhalation IF FINHALED: Remove person to fresh and keep controlorable for breating. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER gi | | - | | Section 2. Hazard id | lentification | | | |
| Fammable liquid (Category 3) Aspiration hazard (Category 2) Skin sensitization (Category 2) Skin sensitization (Category 2) Information clements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Mazardous to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Magardus to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Magard (Symbols, Symbols, Signal words, hazard statements and precautionary statements of the category/subcategory) May be fatal if swallowed and enters airways. H315 May cause an allergic skin reaction. H400 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P315 IF ON SKIN (or hair). Take of firmediately all contaminated clothing. Rinse skin with water. P332 + P311 F SKIN irritation or rabi section 3. Composition/information on ingredients Chemical neuton. P362 + P364 Take off contaminated clothing. Rinse skin with water. P313 IF SKIN irritation or rabi considered rabe secret(). Chemical name (common name/synonyms) CAS number or other Stetion 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Stetion 4. First-stid measures Inhalation IF FINHALED: Remove person to fresh and keep controlorable for breating. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER gi | Classification of | f hazardous p | product (name of the o | category or subcategory | of the hazard class) | | | |
| Aspiration hazard (Category 1) Skin sirvitation (Category 2) Skin sensitization (category 1) Hazardous to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Maximum elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger H226 Flammable liquid and vapor. H304 May be faal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life H410 Very toxic half attemption float float toxic half attemption float the affect second | | - | | | , | | | |
| Skin irritation (Category 2) Skin sensitization (category 1) Hazardous to the aquatic environment – Acute & Chronic (Category 1) Taformation elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) | | | | | | | | |
| Skin sensitization (category 1) Hazardous to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Danger H226 Flammable liquid and vapor. H230 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/key protection/face protection. P301 + P310 H P315 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P332 + P313 H SKIN irritation or rash eccurs: Get medical attention. P362 + P364 Take off contaminated clothing. Rinse skin with water. P323 + P331 H SKIN irritation or rash eccurs: Get medical attention. P362 + P364 Take off contaminated clothing. Rinse skin with water. P332 + P313 H SKIN irritation or floxide, chemical powder agent and appropriate foam to extinguish. P391 Collect spillage. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or maliarios. Chemical name (common name/synonyms) CAS number or other Concentration (%) * Substruct Stetion 4. FIRSt-taid measures Stetion 4. FIRSt-taid measures Stetion 4. FIRSt-taid measures Fye contate IF IN HALED: Remove person to fresh in all keep corritatio. Stive since motion, bir weight (escept for gases/propellants by volume) considered trade secret | • | | , | | | | | |
| Hazardous to the aquatic environment – Acute & Chronic (Category 1) Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Image: Particle | | |) | | | | | |
| Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory) Image | | | | ronic (Category 1) | | | | |
| View View View Danger H226 Flammable liquid and vapor. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED. Immediately call a doctor. DO NOT INDUCE VOMITING. P322 + P351 EF ON SKIN: wash with plenty of water. P303 + P361 F SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P391 Collect spillage. P403 + P233 E FOI Store in a well-ventilated place. Other hazards known None Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%4)* D-Limonene \$989-27.5 80-100 * 3010 * 3100 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(is) by weight (except for gases/propellants by volume) considered trade secret(s). < | | | | | cautionary statements of the catego | orv/subcategory) | | |
| Section 3. Composition/information on ingredients Chemical name (common name/synonyms) CAS number or other Concentration (%)* D-Limonene 5989-27-5 80-100 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s). considered trade secret(s). Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | H226 Flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: wash with plenty of water. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P391 Collect spillage. P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, | | | | | | | |
| Chemical name (common name/synonyms) CAS number or other Concentration (%)* D-Limonene 5989-27-5 80-100 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s). Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Insestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | | | | | | | | |
| D-Limonene 5989-27-5 80-100 * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s). Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | | 1 | | 5. Composition/infor | 0 | | | |
| * Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s). Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | | | | | | | | |
| considered trade secret(s). Section 4. First-aid measures Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Causes skin irritation. May cause an allergic skin reaction. | | | | | | | | |
| Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Causes skin irritation. May cause an allergic skin reaction. | considered trade secret(s). | | | | | | | |
| Ingestion IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | | | | | | | | |
| rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | | | | | | | | |
| of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | Ingestion | | | | | | | |
| Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | | | | | | er. Have victim drink two glasses | | |
| or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | | | | | | | | |
| Eye contact IF IN EYES, Rinse cautiously with water for several minutes (5-10). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | Skin contact | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (15-20 minutes). IF SKIN irritation | | | | | | |
| rinsing. If eye irritation persists: Get medical attention. Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | | | | | | | | |
| Most important symptoms and effects (acute or delayed) Causes skin irritation. May cause an allergic skin reaction. | Eye contact | | | | | | | |
| | | | | | | | | |
| Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document. | Most important | symptoms a | nd effects (acute or de | elayed) Causes skir | irritation. May cause an allergic ski | n reaction. | | |
| | Indication of im | mediate med | lical attention/special | treatment In all cas | es, call a doctor. Do not forget this d | ocument. | | |

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands/nails/face thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: None

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

| Section 9. Physical and chemical properties | | | | | | | |
|---|---|--|--|--|--|--|--|
| Physical state Liquid | pH Not available | | | | | | |
| Colour Clear | Kinematic viscosity Not available | | | | | | |
| Odour Fruity | Solubility Not available | | | | | | |
| Melting/freezing point -74°C | Partition coefficient - n-octanol/water (log) Not available | | | | | | |
| Initial boiling point/ initial/range 176°C | Vapour pressure Not available | | | | | | |
| Flammability Flammable liquid and vapor | Density/relative density 0.844 g/cm ³ @ 20 °C | | | | | | |
| Upper and lower flammability/explosive limits Not available | Relative vapour density Not available | | | | | | |
| Flash point 51°C closed cup | Particle characteristics Not available | | | | | | |
| Auto-ignition temperature 245°C | VOC Not available | | | | | | |
| Decomposition temperature Not available | Other None known | | | | | | |



Section 10. Stability and reactivity Reactivity Does not react under the recommended storage and handling conditions prescribed. Chemical stability Stable under the recommended storage and handling conditions prescribed. Possibility of hazardous reactions Accumulation of flammable if product is heated. Conditions to avoid (static discharge, shock or vibration) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. **Incompatible materials** Oxidizing materials; etc. Hazardous decomposition products None known Section 11. Toxicological information Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact) May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Symptoms related to the physical, chemical and toxicological characteristics Skin irritation, redness, stinging, pain; Delayed and immediate effects (chronic effects from short-term and long-term exposure) Skin Sensitization – Possible: Respiratory Sensitization – No data available: Germ Cell Mutagenicity – No data available: Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity - No data available; Specific Target Organ Toxicity - Single Exposure - No data available; Specific Target Organ Toxicity - Repeated Exposure - No data available; Aspiration Hazard - Possible; Health Hazards Not Otherwise Classified - No data available. Numerical measures of toxicity (ATE; LD50 & LC50) CAS 5989-27-5 LD50 Oral - Rat - 4400 mg/kg; ATE not available in this document. Section 12. Ecological information Ecotoxicity (aquatic and terrestrial information) No data available for the product. Persistence and degradability No data available **Bioaccumulative potential** No data available Mobility in soil No data available Other adverse effects Very toxic to aquatic life Very toxic to aquatic life with long lasting effects. Section 13. Disposal considerations Information on safe handling for disposal/methods of disposal/contaminated packaging Dispose of contents/container into safe container in accordance with local, regional or national regulations. Section 14. Transport information UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations UN2319; TERPENE HYDROCARBONS, N.O.S.; CLASS 3; PG III UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime) UN2319; TERPENE HYDROCARBONS, N.O.S.; CLASS 3; PG III UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air) UN2319; TERPENE HYDROCARBONS, N.O.S.; CLASS 3; PG III Special precautions (transport/conveyance) May also be shipped as NOT REGULATED by ground in accordance with TDG. Environmental hazards (IMDG or other) Marine pollutant Section 15. Regulatory information Refer to Section 2 for the appropriate classification. This product has been classified in accordance Safety/health Canadian regulations specifics with the hazard criteria of the Hazardous Products Regulations (HPR). **Environmental Canadian regulations specifics** Refer to Section 3 for ingredient(s) of the DSL Safety/health/environmental outside regulations specifics United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.



| | et performants pour le bois Section 16. Other information | | | | | |
|---|---|--|--|--|--|--|
| Date of the lates | st revision of the safety data sheet August 22, 2023 version 2 (NSS ENTREPRISE INC.) | | | | | |
| Corrections | Sections 1; 2; 3; 9; 12; 14 | | | | | |
| References | Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS. | | | | | |
| Abbreviations | | | | | | |
| ACGIH | American Conference of Governmental Industrial Hygienists | | | | | |
| ATE | Acute toxicity estimate | | | | | |
| CAS | Chemical Abstract Service | | | | | |
| DSL | Domestic Substance List | | | | | |
| IARC | International Agency for Research on Cancer | | | | | |
| IATA | International Air Transport Association | | | | | |
| IMDG | International Maritime Dangerous Goods Code | | | | | |
| LC | Lethal concentration | | | | | |
| LD | Lethal Dosage | | | | | |
| NIOSH | National Institute for Occupational Safety and Health | | | | | |
| NTP | National Toxicology Program (U.S.A.) | | | | | |
| OSHA | Occupational Safety and Health Administration (U.S.A.) | | | | | |
| PEL | Permissible Exposure Limit | | | | | |
| STEL | Short-term Exposure Limit | | | | | |
| TDG | Transport of dangerous goods in Canada | | | | | |
| TLV | Threshold Limit Value | | | | | |
| TSCA | Toxic Substances Control Act | | | | | |
| TWA | Time Weighted Average | | | | | |
| WHMIS | Workplace Hazardous Materials Information System | | | | | |
| To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability | | | | | | |
| | accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are | | | | | |

the only hazards that exist.